

POCKET DOOR SYSTEM (OVERLAY)

ALT-ST20-D10


CABINET POCKET DOOR HARDWARE

POCKET DOOR SYSTEM




- Overlay Pocket Door System with door alignment adjustability.
- Overlay amount is up to 3/8" (10 mm).
- Overlay damper unit with adjustment screw included with package.
- Hinges include an integrated catch function; for catch-only applications, do not install the damper.
- The hanging angle of the door can be easily adjusted to counteract and prevent door sag. When installing, the door can be lifted upward into 5 positions.
- The sliding system allows doors to recede inside cabinets. Doors will occupy minimal amount of space, providing full access to cabinet interior.
- Available slide lengths: 16", 19", 22", 24" and 28".
- Durability: successfully passed 40,000 open/close private cycles.

Easy Door Alignment Adjustment




When installing, you can adjust the hanging angle just by lifting up the door.



Installation Example



Installation Example



Cut Out Dimensions



Use on Double Doors

Set a door bumper or stopper on the leading edge side to prevent contact between door and side board.

- Number of slides
- S type : 2 pcs
- M type : 2 pcs
- L type : 4 pcs
- LL type : 4 pcs

| Last Digits of Item Name (Parts Set) | Door Storage Amount | Min. Cabinet Depth |
|--------------------------------------|---------------------|--------------------|
| 16 | 10-9/16" (268 mm) | 16-9/16" (420 mm) |
| 19 | 13-9/16" (344 mm) | 19-1/2" (496 mm) |
| 22 | 16-9/16" (420 mm) | 22-1/2" (572 mm) |
| 24 | 18-9/16" (471 mm) | 24-1/2" (623 mm) |
| 28 | 22-9/16" (573 mm) | 28-9/16" (725 mm) |

| Type | Hinge Pitch | | | | Slide Pitch | | |
|---------|--------------------|--------------------|--------------------|------------------|--------------------|-------------------|--------------------|
| | A | B | C | D | E | F | G |
| S Type | 22-13/16" (580 mm) | - | - | - | 26-3/4" (680 mm) | - | - |
| M Type | 19-5/16" (490 mm) | 19-5/16" (490 mm) | - | - | 23-1/4" (590 mm) | 19-5/16" (490 mm) | - |
| L Type | 19-11/16" (500 mm) | 14-15/16" (380 mm) | 19-11/16" (500 mm) | - | 19-11/16" (500 mm) | 18-7/8" (480 mm) | 19-11/16" (500 mm) |
| LL Type | 17-3/4" (450 mm) | 17-5/16" (440 mm) | 17-5/16" (440 mm) | 17-3/4" (450 mm) | 17-3/4" (450 mm) | 38-9/16" (980 mm) | 17-3/4" (450 mm) |





To determine the exact protrusion of a fully pocketed door from the cabinet face, apply the following formula:

$$\text{Protrusion} = \text{Door Width} - \text{Door Storage Amount}$$

| | ALT-ST20-D10S (2 slides) | ALT-ST20-D10M (3 slides) | ALT-ST20-D10L (4 slides) | ALT-ST20-D10LL (4 slides) |
|----------------|---------------------------------|------------------------------|------------------------------|----------------------------------|
| Door Width | Max. 24" (610 mm) | | | |
| Door Height | 31-1/2"~47-1/4" (800 - 1200 mm) | 47-1/4"~63" (1200 - 1600 mm) | 63"~78-3/4" (1600 - 2000 mm) | 78-3/4"~94-1/2" (2000 - 2400 mm) |
| Door Thickness | 11/16"~13/16" (18 - 20 mm) | | | |
| Door Weight | Max. 19.8 lbs (9 kg) | Max. 33 lbs (15 kg) | Max. 44 lbs (20 kg) | |

How to Order ALT-ST20-D10

Parts set Not optional. Each set includes required parts.

| Type | Door Spec (Thickness: 11/16"~13/16" (18 - 20 mm)) | C Door Storage | D Min. Cabinet Depth | Item Name |
|------|---|----------------------|-------------------------|-------------------|
| S |  W= Max. 24" (610 mm) Weight= Max. 19.8 lbs (9 kg) H= 31-1/2"~47-1/4" (800-1200 mm) | 10-9/16" (268 mm) | 16-9/16" (420 mm) | ALT-ST20-D10S-16 |
| | | 13-9/16" (344 mm) | 19-1/2" (496 mm) | ALT-ST20-D10S-19 |
| | | 16-9/16" (420 mm) | 22-1/2" (572 mm) | ALT-ST20-D10S-22 |
| | | 18-9/16" (471 mm) | 24-1/2" (623 mm) | ALT-ST20-D10S-24 |
| | | 22-9/16" (573 mm) | 28-9/16" (725 mm) | ALT-ST20-D10S-28 |
| M |  W= Max. 24" (610 mm) Weight= Max. 33 lbs (15 kg) H= 47-1/4"~63" (1200-1600 mm) | 10-9/16" (268 mm) | 16-9/16" (420 mm) | ALT-ST20-D10M-16 |
| | | 13-9/16" (344 mm) | 19-1/2" (496 mm) | ALT-ST20-D10M-19 |
| | | 16-9/16" (420 mm) | 22-1/2" (572 mm) | ALT-ST20-D10M-22 |
| | | 18-9/16" (471 mm) | 24-1/2" (623 mm) | ALT-ST20-D10M-24 |
| | | 22-9/16" (573 mm) | 28-9/16" (725 mm) | ALT-ST20-D10M-28 |
| L |  W= Max. 24" (610 mm) Weight= Max. 44 lbs (20 kg) H= 63"~78-3/4" (1600-2000 mm) | 10-9/16" (268 mm) | 16-9/16" (420 mm) | ALT-ST20-D10L-16 |
| | | 13-9/16" (344 mm) | 19-1/2" (496 mm) | ALT-ST20-D10L-19 |
| | | 16-9/16" (420 mm) | 22-1/2" (572 mm) | ALT-ST20-D10L-22 |
| | | 18-9/16" (471 mm) | 24-1/2" (623 mm) | ALT-ST20-D10L-24 |
| | | 22-9/16" (573 mm) | 28-9/16" (725 mm) | ALT-ST20-D10L-28 |
| LL |  W= Max. 24" (610 mm) Weight= Max. 44 lbs (20 kg) H= 78-3/4"~94-1/2" (2000-2400 mm) | 10-9/16" (268 mm) | 16-9/16" (420 mm) | ALT-ST20-D10LL-16 |
| | | 13-9/16" (344 mm) | 19-1/2" (496 mm) | ALT-ST20-D10LL-19 |
| | | 16-9/16" (420 mm) | 22-1/2" (572 mm) | ALT-ST20-D10LL-22 |
| | | 18-9/16" (471 mm) | 24-1/2" (623 mm) | ALT-ST20-D10LL-24 |
| | | 22-9/16" (573 mm) | 28-9/16" (725 mm) | ALT-ST20-D10LL-28 |


Item Name of Parts Set

ALT-ST15-D10 S - 16

Type Name _____
Slide Length _____


Installation of Slide

Cross section a: Slide/hinge mounting




To hide the metal fittings, install a middle board (not included).
(An attachable/detachable middle board is recommended for easier maintenance.)

Cross section b: For roller bracket mounting









Cross section b: For mounting with female screw



ALT-ST20-D10 Parts Set Details

The following 1 - 15 show detailed information on the set codes included on the previous page.

| No. | Qty | | | | Parts | Dimensions | Item Name | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---------------------|----------------------|--------------------|--|--|--|--------------------|---------------------|---------------|---------------|-------------|------------------|---|---------------|--------------------|---------------------|----------------------|-------------------|--------------------|---------------------|--------------------|--------------------|--------------------|---------------------|--------------------|-------------------|---------------------|---------------------|--------------------|--------------------|--------------|---------------------|--------------------|-------------------|--------------------|--------------------|--------------------|--------------------|---------------------|---------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|---------------------|--------------------|-------------------|--------------------|--------------------|
| | S | M | L | LL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | | | | <p>Slide</p>  <p>The item number with the same last digits as those of the set item number is included in each set.</p> |  | AL127C-16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | AL127C-19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | AL127C-22 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | AL127C-24 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | AL127C-28 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | <table border="1"> <thead> <tr> <th>Item Name</th> <th>Slide Length</th> <th>Travel Length</th> <th>Door Storage</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>AL127C-16</td> <td>16-3/16" (411.4 mm)</td> <td>11-11/16" (296.4 mm)</td> <td>10-9/16" (268 mm)</td> <td>15-1/4" (387.4 mm)</td> <td>14-5/8" (371.5 mm)</td> <td>10-5/8" (269.9 mm)</td> <td>-</td> </tr> <tr> <td>AL127C-19</td> <td>19-3/16" (487.6 mm)</td> <td>13-5/8" (345.6 mm)</td> <td>13-9/16" (344 mm)</td> <td>17-3/16" (436.6 mm)</td> <td>17-3/16" (447.7 mm)</td> <td>13-5/8" (346.1 mm)</td> <td>9-1/8" (231.8 mm)</td> </tr> <tr> <td>AL127C-22</td> <td>22-3/16" (563.8 mm)</td> <td>16-5/8" (421.8 mm)</td> <td>16-9/16" (420 mm)</td> <td>21-1/4" (539.8 mm)</td> <td>20-5/8" (523.9 mm)</td> <td>16-5/8" (422.3 mm)</td> <td>10-5/8" (269.9 mm)</td> </tr> <tr> <td>AL127C-24</td> <td>24-3/16" (614.6 mm)</td> <td>18-5/8" (472.6 mm)</td> <td>18-9/16" (471 mm)</td> <td>23-1/4" (590.6 mm)</td> <td>22-5/8" (574.7 mm)</td> <td>18-5/8" (473.1 mm)</td> <td>11-5/8" (295.3 mm)</td> </tr> <tr> <td>AL127C-28</td> <td>28-3/16" (716.2 mm)</td> <td>22-5/8" (574.2 mm)</td> <td>29-9/16" (573 mm)</td> <td>27-1/4" (692.2 mm)</td> <td>26-5/8" (676.3 mm)</td> <td>22-5/8" (574.7 mm)</td> <td>13-5/8" (346.1 mm)</td> </tr> </tbody> </table> <p>Material: Steel Finish: Chromate</p> | Item Name | Slide Length | Travel Length | Door Storage | A | B | C | D | AL127C-16 | 16-3/16" (411.4 mm) | 11-11/16" (296.4 mm) | 10-9/16" (268 mm) | 15-1/4" (387.4 mm) | 14-5/8" (371.5 mm) | 10-5/8" (269.9 mm) | - | AL127C-19 | 19-3/16" (487.6 mm) | 13-5/8" (345.6 mm) | 13-9/16" (344 mm) | 17-3/16" (436.6 mm) | 17-3/16" (447.7 mm) | 13-5/8" (346.1 mm) | 9-1/8" (231.8 mm) | AL127C-22 | 22-3/16" (563.8 mm) | 16-5/8" (421.8 mm) | 16-9/16" (420 mm) | 21-1/4" (539.8 mm) | 20-5/8" (523.9 mm) | 16-5/8" (422.3 mm) | 10-5/8" (269.9 mm) | AL127C-24 | 24-3/16" (614.6 mm) | 18-5/8" (472.6 mm) | 18-9/16" (471 mm) | 23-1/4" (590.6 mm) | 22-5/8" (574.7 mm) | 18-5/8" (473.1 mm) | 11-5/8" (295.3 mm) | AL127C-28 | 28-3/16" (716.2 mm) | 22-5/8" (574.2 mm) | 29-9/16" (573 mm) | 27-1/4" (692.2 mm) | 26-5/8" (676.3 mm) |
| Item Name | Slide Length | Travel Length | Door Storage | A | B | C | D | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AL127C-16 | 16-3/16" (411.4 mm) | 11-11/16" (296.4 mm) | 10-9/16" (268 mm) | 15-1/4" (387.4 mm) | 14-5/8" (371.5 mm) | 10-5/8" (269.9 mm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AL127C-19 | 19-3/16" (487.6 mm) | 13-5/8" (345.6 mm) | 13-9/16" (344 mm) | 17-3/16" (436.6 mm) | 17-3/16" (447.7 mm) | 13-5/8" (346.1 mm) | 9-1/8" (231.8 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AL127C-22 | 22-3/16" (563.8 mm) | 16-5/8" (421.8 mm) | 16-9/16" (420 mm) | 21-1/4" (539.8 mm) | 20-5/8" (523.9 mm) | 16-5/8" (422.3 mm) | 10-5/8" (269.9 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AL127C-24 | 24-3/16" (614.6 mm) | 18-5/8" (472.6 mm) | 18-9/16" (471 mm) | 23-1/4" (590.6 mm) | 22-5/8" (574.7 mm) | 18-5/8" (473.1 mm) | 11-5/8" (295.3 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AL127C-28 | 28-3/16" (716.2 mm) | 22-5/8" (574.2 mm) | 29-9/16" (573 mm) | 27-1/4" (692.2 mm) | 26-5/8" (676.3 mm) | 22-5/8" (574.7 mm) | 13-5/8" (346.1 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | 1 | | <p>Synchronized board</p>  <p>The end of the item number indicates the corresponding size.</p> | <p>Enlarged view of side</p>  | ALT-ST20-S | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | ALT-ST20-M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | ALT-ST20-L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | ALT-ST20-LL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | <table border="1"> <thead> <tr> <th>Item Name</th> <th>A</th> <th>B</th> <th>C</th> <th>Full Length L</th> </tr> </thead> <tbody> <tr> <td>ALT-ST20-S</td> <td>26-3/4" (680 mm)</td> <td>-</td> <td>-</td> <td>27-15/16" (710 mm)</td> </tr> <tr> <td>ALT-ST20-M</td> <td>19-5/16" (490 mm)</td> <td>3-15/16" (100 mm)</td> <td>19-5/16" (490 mm)</td> <td>43-11/16" (1110 mm)</td> </tr> <tr> <td>ALT-ST20-L</td> <td>19-11/16" (500 mm)</td> <td>18-7/8" (480 mm)</td> <td>19-11/16" (500 mm)</td> <td>59-7/16" (1510 mm)</td> </tr> <tr> <td>ALT-ST20-LL</td> <td>17-3/4" (450 mm)</td> <td>38-9/16" (980 mm)</td> <td>17-3/4" (450 mm)</td> <td>75-3/16" (1910 mm)</td> </tr> </tbody> </table> <p>Material: Aluminum Alloy Finish: Silver Anodized</p> | Item Name | A | B | C | Full Length L | ALT-ST20-S | 26-3/4" (680 mm) | - | - | 27-15/16" (710 mm) | ALT-ST20-M | 19-5/16" (490 mm) | 3-15/16" (100 mm) | 19-5/16" (490 mm) | 43-11/16" (1110 mm) | ALT-ST20-L | 19-11/16" (500 mm) | 18-7/8" (480 mm) | 19-11/16" (500 mm) | 59-7/16" (1510 mm) | ALT-ST20-LL | 17-3/4" (450 mm) | 38-9/16" (980 mm) | 17-3/4" (450 mm) | 75-3/16" (1910 mm) | | | | | | | | | | | | | | | | | | | | | | |
| Item Name | A | B | C | Full Length L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALT-ST20-S | 26-3/4" (680 mm) | - | - | 27-15/16" (710 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALT-ST20-M | 19-5/16" (490 mm) | 3-15/16" (100 mm) | 19-5/16" (490 mm) | 43-11/16" (1110 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALT-ST20-L | 19-11/16" (500 mm) | 18-7/8" (480 mm) | 19-11/16" (500 mm) | 59-7/16" (1510 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALT-ST20-LL | 17-3/4" (450 mm) | 38-9/16" (980 mm) | 17-3/4" (450 mm) | 75-3/16" (1910 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | 1 | | <p>Coupling plate</p>  <p>Used in combination with the synchronized board. The end of the item number indicates the corresponding size.</p> | <p>Enlarged view of side</p>  | ALT-ST20-LPS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | ALT-ST20-LPM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | ALT-ST20-LPL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | ALT-ST20-LPLL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | <table border="1"> <thead> <tr> <th rowspan="2">Type</th> <th colspan="4">Hinge Pitch</th> <th colspan="3">Slide Pitch</th> <th rowspan="2">Full Length L</th> </tr> <tr> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr> <td>ALT-ST20-LPS</td> <td>22-13/16" (580 mm)</td> <td>-</td> <td>-</td> <td>-</td> <td>26-3/4" (680 mm)</td> <td>-</td> <td>-</td> <td>27-15/16" (710 mm)</td> </tr> <tr> <td>ALT-ST20-LPM</td> <td>19-5/16" (490 mm)</td> <td>19-5/16" (490 mm)</td> <td>-</td> <td>-</td> <td>23-1/4" (590 mm)</td> <td>3-15/16" (100 mm)</td> <td>19-5/16" (490 mm)</td> <td>43-11/16" (1110 mm)</td> </tr> <tr> <td>ALT-ST20-LPL</td> <td>19-11/16" (500 mm)</td> <td>14-15/16" (380 mm)</td> <td>19-11/16" (500 mm)</td> <td>-</td> <td>19-11/16" (500 mm)</td> <td>18-7/8" (480 mm)</td> <td>19-11/16" (500 mm)</td> <td>59-7/16" (1510 mm)</td> </tr> <tr> <td>ALT-ST20-LPLL</td> <td>17-3/4" (450 mm)</td> <td>17-5/16" (440 mm)</td> <td>17-5/16" (440 mm)</td> <td>17-3/4" (450 mm)</td> <td>17-3/4" (450 mm)</td> <td>38-9/16" (980 mm)</td> <td>17-3/4" (450 mm)</td> <td>75-3/16" (1910 mm)</td> </tr> </tbody> </table> <p>Material: Aluminum Alloy Finish: Silver Anodized</p> | Type | Hinge Pitch | | | | Slide Pitch | | | Full Length L | A | B | C | D | E | F | G | ALT-ST20-LPS | 22-13/16" (580 mm) | - | - | - | 26-3/4" (680 mm) | - | - | 27-15/16" (710 mm) | ALT-ST20-LPM | 19-5/16" (490 mm) | 19-5/16" (490 mm) | - | - | 23-1/4" (590 mm) | 3-15/16" (100 mm) | 19-5/16" (490 mm) | 43-11/16" (1110 mm) | ALT-ST20-LPL | 19-11/16" (500 mm) | 14-15/16" (380 mm) | 19-11/16" (500 mm) | - | 19-11/16" (500 mm) | 18-7/8" (480 mm) | 19-11/16" (500 mm) | 59-7/16" (1510 mm) | ALT-ST20-LPLL | 17-3/4" (450 mm) | 17-5/16" (440 mm) | 17-5/16" (440 mm) |
| Type | Hinge Pitch | | | | Slide Pitch | | | Full Length L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | A | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALT-ST20-LPS | 22-13/16" (580 mm) | - | - | - | 26-3/4" (680 mm) | - | - | 27-15/16" (710 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALT-ST20-LPM | 19-5/16" (490 mm) | 19-5/16" (490 mm) | - | - | 23-1/4" (590 mm) | 3-15/16" (100 mm) | 19-5/16" (490 mm) | 43-11/16" (1110 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALT-ST20-LPL | 19-11/16" (500 mm) | 14-15/16" (380 mm) | 19-11/16" (500 mm) | - | 19-11/16" (500 mm) | 18-7/8" (480 mm) | 19-11/16" (500 mm) | 59-7/16" (1510 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALT-ST20-LPLL | 17-3/4" (450 mm) | 17-5/16" (440 mm) | 17-5/16" (440 mm) | 17-3/4" (450 mm) | 17-3/4" (450 mm) | 38-9/16" (980 mm) | 17-3/4" (450 mm) | 75-3/16" (1910 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

*For information on how to mount the parts and the quantities of the parts included in each parts set, please see the instructions.

ALT-ST20-D10 Parts Set Details

The following 1-19 show detailed information on the set codes included on the previous page.















| No. | Qty | | | | Parts | Dimensions | Item Name | | | | | |
|---------|------------------|---|---|----|---|---|--|-----------------|--------|--------|------------------|---------|
| | S | M | L | LL | | | | | | | | |
| 4 | 2 | 3 | 4 | 5 | | <p>Countersunk hole for 2x nominal 3.5 5/16" (7.5 mm) 11/16" (17.4 mm) 1-1/16" (27 mm) 4-9/16" (116.5 mm) 1-1/16" (27 mm) 15/16" (23 mm) 2-1/16" (52 mm) 2-5/8" (66 mm) 94° 1/2" (13 mm)</p> | SCAF-7G99 Material: Zinc Alloy (ZDC) Finish: Nickel | | | | | |
| 5 | 2 | 3 | 4 | 5 | | <p>Countersunk hole for 2x nominal 3.5 3/4" (19 mm) 1-1/4" (32 mm) 1-7/8" (48 mm) 1/2" (12.3 mm) 9/16" (15 mm) 1-1/16" (27.5 mm) 2-1/2" (64 mm) 1/8" (3.5 mm)</p> | SBAR3R Material: Zinc Alloy (ZDC) Finish: Nickel | | | | | |
| 6 | 2 | 3 | 4 | 5 | | <p>4xR3 3xM4-6H t= 1/16" (2 mm) 1/4" (6 mm) 3/4" (19 mm) 5/8" (16 mm) 1-1/8" (29 mm) 1-3/4" (45 mm) 1/8" (3.3 mm) Burring</p> | ALT-MP32 Material: Stainless Steel Finish: Barrel Polished | | | | | |
| 7 | 1 | | | | | <p>Damper adjustment screw 11/16" (17.2 mm) 2-1/2" (64.3 mm) 3-1/4" (83.4 mm) 1-1/8" (17.4 mm) 13/16" (20.7 mm) Damper colour: Orange</p> | SD0S8SNG Material: Zinc Alloy Finish: Nickel | | | | | |
| 8 | 1 | | | | | <p>11/16" (17.8 mm) 3/4" (18.3 mm) 1/4" (6 mm) 2-9/16" (64.6 mm)</p> | SDARX99 Material: Zinc Alloy Finish: Nickel | | | | | |
| 9 | 2 | 3 | | | | <p>1-11/16" (43 mm) 1/4" (6 mm) 7/16" (11.5 mm) 1-9/16" (39.5 mm) 5/16" (7.6 mm) 5/8" (15.9 mm) 2xø6.5 hole 1-3/8" (35.6 mm) 1" (25 mm) ø3/8" (ø9.7 mm)</p> | ALT-ADS Material: Steel/Ethylene Propylene Rubber (EPDM) Finishing/Color: Gloss Chromate/White | | | | | |
| 10 | 2 | | | | | <p>1-3/8" (35 mm) 13/16" (20.5 mm) 5/8" (15.9 mm) 1-11/16" (43 mm) 3/8" (10 mm) R4.5 3-3/8" (86 mm)</p> | ALT-ADP Material: Polyacetal (POM) Color: Grey Helps prevent door damage. | | | | | |
| 11-16 | 1 | | | | Parts set 11 Catch 12 Roller 13 Roller bracket 14 Insert female screw 15 G-type sliding tack 16 Adjustment bolt | <table border="1"> <tr> <td>S type</td> <td rowspan="2">ALT-ST15-D10-MP</td> </tr> <tr> <td>M type</td> </tr> <tr> <td>L type</td> <td rowspan="2">ALT-ST15-D10-LLP</td> </tr> <tr> <td>LL type</td> </tr> </table> <p>Necessary types and numbers of screws and hexagon wrenches are included.</p> | S type | ALT-ST15-D10-MP | M type | L type | ALT-ST15-D10-LLP | LL type |
| S type | ALT-ST15-D10-MP | | | | | | | | | | | |
| M type | | | | | | | | | | | | |
| L type | ALT-ST15-D10-LLP | | | | | | | | | | | |
| LL type | | | | | | | | | | | | |

ALT-ST15, ALT-ST20 Parts Set Details

Detailed information on the parts sets used for ALT-ST15 and ALT-ST20

CABINET POCKET
DOOR HARDWARE

POCKET DOOR SYSTEM

| Qty | | Parts | Dimensions | Item Name |
|-------------------------|--------|-------|--|--|
| S type | M type | | | |
| 2 | | 3 |   <p> $\phi 4.5$ hole $\phi 9.2$ countersunk depth 5.6 1-3/16" (29.4 mm) 1/4" (6.5 mm) 1/4" (6.5 mm) 15/16" (23.2 mm) 3/4" (19.2 mm) 1/4" (6.1 mm) 1/4" (7.2 mm) </p> | AL127-CH Material: Polyurethane (PUR) Color: Black |
| 2 | | |   <p> 1/16" (1 mm) M6 $\phi 5/16"$ ($\phi 8$ mm) $\phi 1/2"$ ($\phi 12$ mm) 13/16" ($\phi 21$ mm) 3/8" (9 mm) 5/16" (8 mm) 3/8" (9 mm) 1/8" (2.5 mm) </p> | DU19-B4SBR Material: Ethylene Propylene Rubber (EPDM)/Steel Finishing/Color: Gloss Chromate/White |
| Left/Right 1 each | | |   <p> $\phi 4.2$ hole 1/4" (6 mm) 2x4.2x8.2 slotted hole 1-1/8" (28 mm) 5/8" (16 mm) 3/8" (9 mm) M6 5/16" (8 mm) 13/16" (21 mm) 1/8" (3 mm) 5/16" (7.5 mm) 11/16" (18 mm) </p> <p>† The drawing shows A type (bottom right/upper left)</p> | ALT-2V-AB † Type A (bottom right/ upper left) ALT-2V-BB † Type B (upper right/bottom left) Material: Steel Finish: Colored Chromate |
| 2 | | |   <p> $\phi 7/16"$ ($\phi 11$ mm) M6 1/2" (13 mm) $\phi 3/8"$ ($\phi 9$ mm) </p> | SC-107-13 Material: Polyamide (PA) Color: White |
| 2 | | |   <p> 11/16" (17.5 mm) $\phi 1/8"$ ($\phi 3$ mm) 3/8" (9 mm) 1/16" (1.8 mm) </p> | G-175 Material: Polyethylene (PE) Color: Natural |
| 1 | | 2 |   <p> 1/8" (3 mm) Hexagon hole Opposite side: 1/8" (3 mm) $\phi 1/2"$ ($\phi 12$ mm) 5/16" (8 mm) 1/16" (1.2 mm) 1/16" (1.2 mm) 3/8" (10 mm) M5 </p> | ALT-AB M5 Material: Steel (SWCH) Finishing/Color: Colored Chromate (Trivalent)/White Dedicated bolt for hanging adjustment |
| 1 | | |   <p> 2x4.2x8.2 slotted hole $\phi 4.2$ hole 1-1/4" (32 mm) 7/8" (22 mm) 1-13/16" (45.5 mm) 1/8" (2.6 mm) 1/16" (1.7 mm) 1-1/8" (29 mm) 1-7/8" (48 mm) </p> <p>To keep distance between door and floor surface (e.g., laundry room).</p> | bottom-right/ top-left ALT-2V5BR1 top-right/ bottom-left ALT-2V5BR2 Material: Steel Finish: Colored Chromate (trivalent) |

*Use either roller bracket, side pane bracket or insert female screw, depending on the mounting method.